

2025

CATALOG LS11-2

CLASSIC FAN LIGHT SERIES

BEST-SELLING FAN LIGHT

LYSON ILLUMINATION CO., LTD.

✉ lily@lyson-illumination.com

☎ +86 15813132844 (Phone & Whatsapp & Wechat)

🏠 Caoyi Industry Zone, Guzhen Town, Zhongshan, China.

🌐 <http://www.lyson-illumination.com>





FSD-3890-6-WH

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/6 PCS
Light Source: LED15-24W
Changable Color: White
RPM: Max 125
Certification: CB,CE



FSD-3890-6-SN-SV

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/6 PCS
Light Source: LED15-24W
Changable Color: Sand Nickel+Silver
RPM: Max 125
Certification: CB,CE



FSD-3890-5-WH

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/5 PCS
Light Source: LED15-24W
Changable Color: White
RPM: Max 140
Certification: CB,CE



FSD-3890-6-BK-WG

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/6 PCS
Light Source: LED15-24W
Changable Color: Black+Wood Grain
RPM: Max 125
Certification: CB,CE



FSD-3890-5-GD

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/5 PCS
Light Source: LED15-24W
Changable Color: Gold
RPM: Max 140
Certification: CB,CE



FSD-3891-6-BK-WG

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 54"
Blade: ABS/6 PCS
Light Source: LED15-24W
Color: Black+Wood Grain
RPM: Max 160
Certification: CB,CE



FSD-2370-3-SN-WH

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 64"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: Sand Nickel+White
RPM: Max 200
Certification: CB,CE,



FSD2370-48-WH

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/5 PCS
Light Source: LED15-24W
Color: White
RPM: Max 220
Certification: CB,CE,



FSD-2370-48-SV

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/5 PCS
Light Source: LED15-24W
Color: Silver
RPM: Max 220
Certification: CB,CE



FSD-2370-48-BK

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/5 PCS
Light Source: LED15-24W
Color: Black
RPM: Max 220
Certification: CB,CE,



FSD-2370-BK

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 60"
Blade: ABS/5 PCS
Light Source: LED15-24W
Color: Black
RPM: Max 180
Certification: CB,CE



FSD-2501-WH

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/5 PCS
Light Source:LED15-24W
Color: White
RPM: Max 185
Certification: CB,CE,



FSD-2370-DWG

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 60"
Blade: ABS/5 PCS
Light Source: LED15-24W
Color: Dark Wood Grain
RPM: Max 180
Certification: CB,CE



FSD2501-LWG

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED15-24W
Color: Ligth Wood Grain
RPM: Max 185
Certification: CB,CE



FSD-2528-LWG

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 60"
Blade: ABS/5 PCS
Light Source: LED15-24W
Color: Light Wood Grain
RPM: Max 180
Certification: CB,CE



FSD-2501-DWG

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED15-24W
Color: Dark Wood Grain
RPM: Max 185
Certification: CB,CE



FSD-2500-COF-WH

Motor: DC 40W/AC 65W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 44"
 Blade: ABS/5 PCS
 Light Source: LED15-24W
 Color: Coffee+White
 RPM: Max 240
 Certification: CB,CE



FSD2500-GN-WH

Motor: DC 40W/AC 65W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 44"
 Blade: ABS/5 PCS
 Light Source: LED15-24W
 Color: Green+White
 RPM: Max 240
 Certification: CB,CE



FSD-2500-WH

Motor: DC 40W/AC 65W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 44"
 Blade: ABS/5 PCS
 Light Source: LED15-24W
 Color: White
 RPM: Max 240
 Certification: CB,CE,



FSD-2500-GN



FSD-2500-BU



FSD-2500-YE



FSD-2500-COF



FSD-2503-WH

Motor: DC 38W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED15-24W
Color: White
RPM: Max 285
Certification: CB,CE



FSD-2503-BU

Motor: DC 38W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED15-24W
Color: Blue
RPM: Max 285
Certification: CB,CE



FSD-2503-COF

Motor: DC 38W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED15-24W
Color: Coffee
RPM: Max 285
Certification: CB,CE



FSD-2503-BGD

Motor: DC 38W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED15-24W
Color: Black With Brush Gold
RPM: Max 285
Certification: CB,CE



FSD-2129-SN-SV
Motor: DC 38W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED15-24W
Color: Sand Nickel+Silver
RPM: Max 230
Certification: CB,CE



FSD-2129-FSD-BK
Motor: DC 38W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Black
RPM: Max 230
Certification: CB,CE



FSD-2129-WH
Motor: DC 38W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED15-24W
Color: White
RPM: Max 230
Certification:CB,CE



FSD-2129-FSD-SN-DWG
Motor: DC 38W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Sand Nickel+Dark Wood Grain
RPM: Max 230
Certification: CB,CE



FSD-2129-BK
Motor: DC 38W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED15-24W
Color: Black
RPM: Max 230
Certification: CB,CE



FSD-2129-FSD-DWG
Motor: DC 38W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Dark Wood Grain
RPM: Max 230
Certification: CB,CE



FSD-1111-SN-SV

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48/52"
Blade: Composite Board/5 PCS
Light Source: LED15/24W
Color: Sand Nickel+Silver
RPM: Max 240/200
Certification: CB,CE



FSD-1111-WH

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: LED15-24W
Color: White
RPM: Max 240
Certification: CB,CE



FSD-1111-WH-LWG

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: LED15-24W
Color: White+Light Wood Grain
RPM: Max 240
Certification: CB,CE



FSD-1111-COF-DWG

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: LED15-24W
Color: Coffee+Dark Wood Grain
RPM: Max 240
Certification: CB,CE,



FSD-2010-FSD-BK-MG
Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Color: Black With Brush Gold+Mahogany
RPM: Max 220
Certification: CB,CE



FSD-2016-WH-LWG
Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Light Source: LED15-24W
Color: White+Light Wood Grain
RPM: Max 220
Certification: CB,CE



FSD-2010-FSD-SN-LWG
Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Color: Sand Nickel+Light Wood Grain
RPM: Max 220
Certification: CB,CE



FSD-2010-SN-MG
Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Light Source: LED15-24W
Color: Sand Nickel+Mahogany
RPM: Max 220
Certification: CB,CE



FSD-2010-FSD-SN-LWG
Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Color: Sand Nickel+Light Wood Grain
RPM: Max 220
Certification: CB,CE



FSD-2010-BK-MG
Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Light Source: LED15-24W
Color: Black With Brush Gold+Mahogany
RPM: Max 220
Certification: CB,CE



FSD-2537-BK-MG

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Light Source: LED15-24W
Color: Black+Wood Grain
RPM: Max 220
Certification: CB,CE



FSD-2165-WH-LWG

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 48"
Blade: Solid Wood/3 PCS
Light Source: LED PCB/18W
Color: White+Light Wood Grain
RPM: Max 220
Certification: CE



FSD-1569-FSD-SN-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Color: Sand Nickel+Wood Grain
RPM: Max 220
Certification: CB,CE



FSD-2166-BK-DWG

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Solid Wood/3 PCS
Light Source: LED15-24W
Color: Black With Brush Gold+Dark Wood Grain
RPM: Max 220
Certification: CB,CE



FSD-2184-LWG

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Light Source: LED15-24W
Color: Light Wood Grain
RPM: Max 220
Certification: CB,CE



FSD-2671-SN-LWG

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Solid Wood/3 PCS
Light Source: LED15-24W
Color: Sand Nickel+Light Wood Grain
RPM: Max 200
Certification: CB,CE



FSD-1693-FSD-WH

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: White
RPM: Max 160
Certification: CB,CE
Light Source: LED15-24W



FSD-1693-WH

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/18W
Color: White
RPM: Max 160
Certification: CB,CE



FSD-1693-FSD-DWG

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Dark Wood Grain
RPM: Max 160
Certification: CB,CE
Light Source: LED15-24W



FSD-1693-DWG

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/18W
Color: Dark Wood Grain
RPM: Max 160
Certification: CB,CE



FSD-2842-WH

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 64"
Blade: ABS/5 PCS
Light Source: LED 15-24W
Color: White
RPM: Max 120
Certification: CB,CE



FSD-2053-WH

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: White
RPM: Max 205
Certification: CB,CE,



FSD-2842-SV

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 64"
Blade: ABS/5 PCS
Light Source: LED 15-24W
Color: Silver
RPM: Max 120
Certification: CB,CE



FSD-2053-LWG

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: Light Wood Grain
RPM: Max 205
Certification: CB,CE,



FSD-2053-DWG

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 64"
Blade: ABS/5 PCS
Light Source: LED PCB/18W
Color: Dark Wood Grain
RPM: Max 120
Certification: CB,CE
Light Source: LED 15-24W



FSD-2053-BK

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: Black
RPM: Max 205
Certification: CB,CE,



FSD-2747-COF-WG

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/6 PCS
Light Source: LED 15-24W
Color: Coffee+Wood Grain
RPM: Max 155
Certification: CB,CE



FSD-2741-SN-WG

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/6 PCS
Light Source: LED PCB/76W
Color: Sand Nickel+Wood Grain
RPM: Max 155
Certification: CB,CE
LED 15-24W



FSD-2740-SV

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/6 PCS
Light Source: LED 15-24W
Color: Silver
RPM: Max 130
Certification: CB,CE,



FSD-2740-GD

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/6 PCS
Light Source: LED 15-24W
Color: Gold
RPM: Max 130
Certification: CB,CE



FSD-2740-COF

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/6 PCS
LED 15-24W
Color: Coffee
RPM: Max 130
Certification: CB,CE



FSD-2392-SN-MC

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 62"
Blade: ABS/8 PCS
Light Source: LED 15-24W
Color: Sand Nickel+Multi-Color
RPM: Max 110
Certification: CB,CE



FSD-2181-SN-YE

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 62"
Blade: ABS/8 PCS
Light Source: LED 15-24W
Color: Sand Nickel+Yellow
RPM: Max 110
Certification: CB,CE,



FSD-2181-BK

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 62"
Blade: ABS/8 PCS
Light Source: LED 15-24W
Color: Black
RPM: Max 110
Certification: CB,CE



FSD-2723-SN-WG

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 63"
Blade: Composite Board/8 PCS
Light Source: LED 15-24W
Color: Sand Nickel+Wood Grain
RPM: Max 170
Certification: CB,CE



FSD-2320-BK

Motor: AC 70W
Voltage/Frequency: 110~130V/60Hz;
220~240V/50Hz
Size: 56"
Blade: ABS/5 PCS
Color: Black
RPM: Max 220
Certification: CB、CE



FSD-2527-AB

Motor: AC 50W
Voltage/Frequency: 110~130V/60Hz;
220~240V/50Hz
Size: 56"
Blade: Iron/5 PCS
Light Source: LED 15-24W
Color: Antique Bronze
RPM: Max 130
Certification: CB,CE



FSD-2536-GD

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LED 15-24W
Color: Gold
RPM: Max 200



FSD-2536-PB-BS

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LED 15-24W
Color: Peral Black+Black With Brush Silver
RPM: Max 200



FSD-2536-BK

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LED 15-24W
Color: Black
RPM: Max 200



FSD-2756-WH

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED 15-24W
Color: White
RPM: Max 220
Certification: CB,CE



FSD-2756-BK

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED 15-24W
Color: Black
RPM: Max 220
Certification: CB,CE



FSD-2756-SN-COF

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 40"
Blade: ABS/5 PCS
Light Source: LED 15-24W
Color: Sand Nickel+Coffee
RPM: Max 220
Certification: CB,CE



FSD-2751-BK

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 55"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: Black
RPM: Max 250
Certification: CB,CE



FSD-2750-FSD-BK

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 55"
Blade: ABS
Color: Black
RPM: Max 250
Certification: CB,CE



FSD-2775-BK

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: E27*5
Color: Black
RPM: Max 220
Certification: CB,CE



FSD-2185-DWG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LED 15-24W
Color: Dark Wood Grain
RPM: Max 190
Certification: CB,CE



FSD-2186-DWG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LED 15-24W
Color: Dark Wood Grain
RPM: Max 200
Certification: CB,CE



FSD-2185-WH

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LED 15-24W
Color: White
RPM: Max 190
Certification: CB,CE



FSD-2186-WG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LED 15-24W
Color: Wood Grain
RPM: Max 200
Certification: CB,CE



FSD-2819-WH

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED 15-24W
Color: White
RPM: Max 210
Certification: CE



FSD-2099-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED 15-24W
Color: Antique Bronze+Wood Grain
RPM: Max 210
Certification: CB,CE,



FSD-2119-GD-WG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED 15-24W
Color: Gold+Wood Grain
RPM: Max 190
Certification: CB,CE



FSD-1537-WH-LWG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED 15-24W
Color: White+Light Wood Grain
RPM: Max 200
Certification: CB,CE,



FSD-1537-AB-LWG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED 15-24W
Color: Anti Bronze+Light Wood Grain
RPM: Max 200
Certification: CB,CE,



FSD-1537-COF-DWG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED 15-24W
Color: Coffee+Dark Wood Grain
RPM: Max 200
Certification: CB,CE,



FSD-2832-GY-WG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED 15-24W
Color: Grey+Wood Grain
RPM: Max 200
Certification: CB,CE,



FSD-2832-WH-WG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED 15-24W
Color: White+Wood Grain
RPM: Max 200
Certification: CB,CE,



FSD-2832-GN-WG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED 15-24W
Color: Green+Wood Grain
RPM: Max 200
Certification: CB,CE



FSD-2832-BK-WG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED 15-24W
Color: Black+Wood Grain
RPM: Max 200
Certification: CB,CE,



FSD-2545-GY-LWG

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED 15-24W
Color: Grey+Light Wood Grain
RPM: Max 170
Certification: CB,CE



FSD-2545-WH-LWG

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED 15-24W
Color: White
RPM: Max 170
Certification: CB,CE



FSD-2545-WH

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED 15-24W
Color: White
RPM: Max 170
Certification: CB,CE



FSD-2545-XD-WH

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED 15-24W
Color: White
RPM: Max 170
Certification: CB,CE



FSD-2745-XD-WH

Motor: AC 70W
Voltage/Frequency:110-130V/60Hz;
220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: LED 15-24W;
LED STRIP/12.5W
Color: White
RPM: Max 210
Certification: CB,CE,



FSD-2545-XD-WH-LWG

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED 15-24W
Color: White+Light Wood Grain
RPM: Max 170
Certification: CB,CE



BL-2545-XD-GY-LWG

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED 15-24W
Color: Grey+Light Wood Grain
RPM: Max 170
Certification: CB,CE



FSD-2745-XD-COF

Motor: AC 70W
Voltage/Frequency:110-130V/60Hz;
220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: LED 15-24W;
LED STRIP/12.5W
Color: Coffee
RPM: Max 210
Certification: CB,CE



FSD2670-SN-LWG
Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: Sand Nickel+Light Wood Grain
RPM: Max 220
Certification: CE



FSD-2736-SV
Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: ABS/5 PCS
Light Source: LED 15-24W
Color: Silver
RPM: Max 210
Certification: CB,CE,



FSD2670-BK-DWG
Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: Sand Nickel+Light Wood Grain
RPM: Max 220
Certification: CE,CB



FSD-2736-WH
Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/5 PCS
Light Source: LED 15-24W
Color: Silver
RPM: Max 210
Certification: CB,CE,



FSD-2529-BK-DWG
Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: ABS/5 PCS
Light Source:LED 15-24W
Color: Black+Dark Wood Grain
RPM: Max 230
Certification: CE,CB



FSD-2507-WH
Motor: AC 65W
Voltage/Frequency: 110~130V/60Hz;
220-240V/60Hz
Size: 48"
Blade: ABS/5 PCS
Light Source: LED 15-24W;
LED Strip/13W
Color: White
RPM: Max 210
Certification: CB,CE



FSD-2116-SN-SV

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Composite Board /3 PCS
Light Source: LED 15-24W
Color: Sand Nickel+Silver
RPM: Max 220
Certification: CB,CE



FSD-2116-AB-WG

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Composite Board /3 PCS
Light Source: LED 15-24W
Color: Antique Bronze+Wood Grain
RPM: Max 220
Certification: CB,CE



FSD-2052-BN

Motor: DC 32W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: Brown
RPM: Max 210
Certification: CB,CE



FSD-2089-AB-COF

Motor: DC 32W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: Antique Bronze+Coffee
RPM: Max 210
Certification: CB,CE



FSD-2089-FSD-AB-COF

Motor: DC 32W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Antique Bronze+Coffee
RPM: Max 210
Certification: CB,CE



FSD-1870-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED 15-24W
Color: Black+Wood Grain
RPM: Max 160
Certification: CB,CE



FSD-2351-SN-GY

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Light Source: LED 15-24W
Color: Sand Nickel+Grey
RPM: Max 180
Certification: CE,CE



FSD-1870-AB-GM

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED 15-24W
Color: Black+Wood Grain
RPM: Max 160
Certification: CB,CE



FSD-2351-SN-SV

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~
60Hz;110~130V/60Hz;220~240V/
50Hz
Size: 42"
Blade: Composite Board/5PCS
Light Source: LED 15-24W
Color: Sand Nickel+Grey
RPM: Max 180
Certification: CE,CE



FSD-2136-SN-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED 15-24W
Color: Black+Wood Grain
RPM: Max 160
Certification: CB,CE



FSD-7504-WH

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Composite Board/4PCS
Light Source: LED 15-24W
Color: Sand Nickel+Grey
RPM: Max 200
Certification: CE,CE



FSD-2526-FSD-COF

Motor: DC 35W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: ABS/3 PCS
Light Source:
Color: White
RPM: Max 240
Certification: CB,CE



FSD-2056-WH

Motor: DC 35W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: White
RPM: Max 240
Certification: CB,CE



FSD-2056-SN-GY

Motor: DC 35W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: White
RPM: Max 240
Certification: CB,CE



FSD-2056-PB-BK

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: Pearl Black+Black
RPM: Max 240
Certification: CB,CE,RoHS

FSD-2050-BK-SV

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Composite Board/4 PCS
Light Source: LED 15-24W
Color: Black+Silver
RPM: Max 250
Certification: CB,CE,CCC

**FSD-1070-CH-SN**

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Iron/4 PCS
Light Source: LED 15-24W
Color: Chrome+Sand Nickel
RPM: Max 250
Certification: CB,CE,CCC

**FSD-2818-SN**

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Iron/5 PCS
Light Source: LED 15-24W
Color: Sand Nickel
RPM: Max 250
Certification: CB,CE,CCC



FSD-2117-WH

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: White
RPM: Max 200
Certification: CB,CE



FSD-2117-GY-WH

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: Grey+White
RPM: Max 200
Certification: CB,CE



FSD-2117-GY-YE

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: Yellow+White
RPM: Max 200
Certification: CB,CE



FSD-2117-GN-WH

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: Green+White
RPM: Max 200
Certification: CB,CE



BL-511-BK-WG

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/3 PCS
Light Source: LED 15-24W
Color: Black+Wood Grain
RPM: Max 220
Australia Certification: SGS/210096



FSD-1111-AB-WG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Iron/5 PCS
Light Source: LED 15-24W
Color: Antique Bronze
RPM: Max 210
Certification: CE,CB



FSD-1049-AB

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Iron/5 PCS
Light Source: LED 15-24W
Color: Antique Bronze
RPM: Max 210
Certification: CE,CB



FSD-1089-AB

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Iron/5 PCS
Light Source:LED 15-24W
Color: Antique Bronze
RPM: Max 210
Certification: CE,CB



FSD-1053-SN

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Iron
Light Source: LED 15-24W
Color: Sand Nickel
RPM: Max 210
Certification: CE,CB



FSD-1042-GD

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Iron
Light Source:LED 15-24W
Color: Gold
RPM: Max 210
Certification: CE,CB



FSD-1042-GD-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED 15-24W
Color: Gold+Wood Grain
RPM: Max 200
Certification: CB,CE




FSD-2118-SV

Motor: DC 35W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: ABS/2 PCS
Light Source: LED 15-24W
Color: Silver
RPM: Max 180
Certification: CB,CE



FSD-2118-BK-WH

Motor: DC 35W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: ABS/2 PCS
Light Source: LED 15-24W
Color: Black+White
RPM: Max 180
Certification: CB,CE



FSD-2542-BS-WG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*4
Color: Black With Brush Silver+Wood Grain
RPM: Max 180
Certification:



FSD-2543-CH-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3+E14*3
Color: Chrome+Wood Grain
RPM: Max 190
Australia




FSD-2535-PB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Pearl Black+Wood Grain
RPM: Max 170
Australia



FSD-2539-COF-WG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3 Max 25W
Color: Coffee+Wood Grain
RPM: Max 190
Australia



FSD-2936-ORB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board /5 PCS
Light Source: E27*3
Color: Oil-Rubbed Bronze+Wood Grain
RPM: Max 190
Certification:



FSD-2168-GD-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: E14*6
Color: Gold+Wood Grain
RPM: Max 190
Certification: CE,RoHS



FSD-205-A-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Black+Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS



FSD-2110-COF-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Coffee+Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS



FSD-205-B-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Black+Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS



FSD-8202-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Antique Bronze+Wood Grain
RPM: Max 200
Certification: CB



FSD-2833-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Black+Antique Bronze+Wood Grain
RPM: Max 220
Certification: CB,CE



FSD-1022-RAB

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Iron/5 PCS
Light Source: E27*3
Color: Red Antique Bronze
RPM: Max 210



FSD-2008-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Antique Bronze+Wood Grain
RPM: Max 220
Certification: CB,CE,RoHS




FSD-2016-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: E27*3+G9*2
Color: Black+Wood Grain
RPM: Max 230
Certification: CE,RoHS



FSD-2219-GN-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: E27*3+G9*2
Color: Green+Wood Grain
RPM: Max 230
Certification: CE



FSD-2533-RAB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*6
Color: Red Antique Bronze+Wood Grain
RPM: Max 210



FSD-1008-A-BK-WG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz;
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*4
Color: Black+Wood Grain
RPM: Max 210



FSD-1008-B-BK-WG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Black+Wood Grain
RPM: Max 210



FSD-1578-BK-WG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz;
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Black+Wood Grain
RPM: Max 220



FSD-513-AB-WG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz;
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Antique Bronze+Wood Grain
RPM: Max 220



FSD-1701-AB-WG

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Antique Bronze+Wood Grain
RPM: Max 220



FSD-2162-SN-WG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Sand Nickel+Wood Grain
RPM: Max 220



FSD-8129-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Black+Wood Grain
RPM: Max 220



FSD-1577-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Black+Wood Grain
RPM: Max 220



FSD-1003-RAB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Red Antique Bronze+Wood Grain
RPM: Max 200



FSD-1090-RAB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Red Antique Bronze+Wood Grain
RPM: Max 220



FSD-1078-RGD-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Rose Gold+Wood Grain
RPM: Max 200



FSD-1014-RGD-WG

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Rose Gold+Wood Grain
RPM: Max 200



FSD-1023-RAB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Red Antique Bronze+Wood Grain
RPM: Max 200



FSD-1079-CH-SN

MMotor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Iron/5 PCS
Light Source: E27*3
Color: Chrome
RPM: Max 210
Certification: CE,RoHS



FSD-1996-AB

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Iron/5 PCS
Light Source: E27*5
Color: Antique Bronze
RPM: Max 210



FSD-1005-GD

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Iron/5 PCS
Light Source: E27*5
Color: Gold
RPM: Max 210



FSD-1018-BK-MC

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: White+Multi-Color
RPM: Max 210



FSD-2062-SN-WG

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Solid Wood/5 PCS
Light Source: E27*3
Color: Antique Bronze+Wood Grain
RPM: Max 230
Certification: CE,RoHS



FSD-2490-AB-WG

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Antique Bronze+Wood Grain
RPM: Max 230
Certification: CE,RoHS



FSD-2055-AB-WG

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Solid Wood/5 PCS
Light Source: E27*3
Color: Antique Bronze+Wood Grain
RPM: Max 230



FSD-5501-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Black
RPM: Max 230



FSD-670-FSD-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Color: Antique Bronze+Wood Grain
RPM: Max 200



FSD-1578-FSD-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Color: Antique Bronze+Wood Grain
RPM: Max 200



FSD-670-FSD-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Color: Black+Wood Grain
RPM: Max 200



FSD-1578-FSD-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Color: Black+Wood Grain
RPM: Max 200



FSD-2809-FSD-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Color: Antique Bronze+Wood Grain
RPM: Max 200



FSD-2812-FSD-AB

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Iron/5 PCS
Color: Antique Bronze
RPM: Max 230



FSD-2939-BK

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: ABS/3 PCS
Color: Black
RPM: Max 200



FSD-2764-BK-WH

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Black+White
RPM: Max 210
Certification: CE,RoHS



FSD-2820-BK-WH

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED PCB/19W
Color: Black+White
RPM: Max 220
Certification: CB,CE,RoHS



FSD-2763-COF

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Coffee
RPM: Max 210
Certification: CE,RoHS



FSD-2761-BK-WH

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/3 PCS
Color: Black+White
RPM: Max 220
Certification: CB,CE,RoHS
Australia



FSD-2755-LWG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Light Wood Grain
RPM: Max 210
Certification: CE,RoHS



FSD-2761-WH

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/3 PCS
Color: White
RPM: Max 220
Certification: CB,CE,RoHS
Australia



FSD-2227-WH-LWG

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: White+Light Wood Grain
RPM: Max 220
Certification: CB,CE,RoHS



FSD-2508-AB-LWG

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: Antique Bronze+Light Wood Grain
RPM: Max 270
Certification: CB



FSD-2679-SN-LWG

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: Sand Nickel+Light Wood Grain
RPM: Max 270
Certification: CB,CE,RoHS



FSD-2678-52-XD-BK-LWG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Black+Light Wood Grain
RPM: Max 250
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



FSD-2678-52-AB-LWG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Antique Bronze+Light Wood Grain
RPM: Max 250
Certification: CB,CE,RoHS
Australia



FSD-2678-46-BK-

DWG Motor: DC 40W/AC
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 46"
Blade: ABS/3 PCS
Color: Black+Dark Wood Grain
RPM: Max 280
Certification: CB,CE,RoHS
Australia



FSD-2720-SN-SV

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: Sand Nickel+Silver
RPM: Max 190
Certification: ETL,CB,CE,RoHS



FSD-2009-COF-DWG

Motor: DC 40W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/3 PCS
Light Source: LED 15-24W
Color: Coffee+Dark Wood Grain
RPM: Max 210
Certification: CB



FSD-602-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/4 PCS
Light Source: E27*3
Color: Black With Gold Brush+Wood Grain
RPM: Max 180
Certification: CE,RoHS



FSD-1513-BK-WG

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/5 PCS
Light Source: LED 15-24W
Color: Black With Brush Gold+Wood Grain
RPM: Max 210



FSD-2843-WH-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Wood leaf/5 PCS
Color: White+Wood Grain
RPM: Max 150
Certification: CB,CE,RoHS
Australia



FSD-2843-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Wood leaf/5 PCS
Color: Black+Wood Grain
RPM: Max 150
Certification: CB,CE,RoHS
Australia



FSD-2179-BK-YE-SV

Motor: DC 35W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Light Source: LED PCB/18W
Color: Black+Yellow+Silver
RPM: Max 280
Certification: CE



FSD-1092-B-FSD-MC

Motor: DC 35W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/5 PCS
Color: White+Multi-Color
RPM: Max 270
Certification: CE,RoHS



FSD-1092-A-WH-MC

Motor: DC 35W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/5 PCS
Light Source: LED 15-24W
Color: White+Multi-Color
RPM: Max 280
Certification: CE,RoHS



FSD-1092-B-WH-MC

Motor: DC 35W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/5 PCS
Light Source: LED 15-24W
Color: White+Multi-Color
RPM: Max 270
Certification: CE,RoHS



FSD-2112-FSD-SN-WG

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Color: Sand Nickel+Wood Grain
RPM: Max 285
Certification: CB,CE,RoHS
Australia



FSD-2112-FSD-SN-MG

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Light Source: LED PCB/19W-19W-18W
Color: Sand Nickel+Maple Wood Grain
RPM: Max 285
Certification: CB,CE,RoHS
Australia



FSD-2112-SN-WG

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Light Source: LED 15-24W
Color: Sand Nickel+Wood Grain
RPM: Max 285
Certification: CB,CE,RoHS
Australia



FSD-2112-GY-SV

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Light Source: LED 15-24W
Color: Grey+Silver
RPM: Max 285
Certification: CB,CE,RoHS
Australia



FSD-2112-YE-SV

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Light Source: LED 15-24W
Color: Yellow+Silver
RPM: Max 285
Certification: CB,CE,RoHS
Australia



FSD-2380-GN-WH

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/3 PCS
Light Source: LED 15-24W
Color: Green+White
RPM: Max 240
Certification: CB,CE



FSD-2380-WH

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/3 PCS
Light Source: LED 15-24W
Color: White
RPM: Max 240
Certification: CB,CE,RoHS



FSD-2380-GY-SV

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/3 PCS
Light Source: LED 15-24W
Color: Grey+Sliver
RPM: Max 240
Certification: CB,CE,RoHS

**FSD-2530-YE-WH**

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED15-24W
Color: Yellow+White
RPM: Max 240
Certification: CB,CE,RoHS

**FSD-2530-WH**

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: White
RPM: Max 240
Certification: CB,CE,RoHS

FSD-2530-SN-SV

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: Sand Nickel+Silver
RPM: Max 240
Certification: CB,CE,RoHS

FSD-2530-BU-WH

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: Blue+White
RPM: Max 240
Certification: CB,CE,RoHS



FSD-2069-BK-WG

Motor: DC 20W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Light Source:LED 15-24W
Color: Black With Bursh Gold+Wood Grain
RPM: Max 250
Certification: CB



FSD-1650-BK

Motor: DC 20W/AC 45W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: Composite Board/3 PCS
Light Source: LED 15-24W
Color: Black
RPM: Max 350
Certification: CB,CE,RoHS



FSD-1096-WH-MC

Motor: DC 35W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 30"
Blade: Composite Board/6 PCS
Light Source: LED 15-24W
Color: White+Multi-Color
RPM: Max 280
Australia Certification: SGS/210096



FSD-2088-MC

Motor: DC 30W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/5 PCS
Light Source: LED 15-24W
Color: Muti-Color
RPM: Max 260
Certification: CB,CE,RoHS



FSD-2066-WH

Motor: DC 30W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/5 PCS
Light Source:LED 15-24W
Color: White
RPM: Max 260
Certification: CB,CE,RoHS



FSD-2066-WH-WG

Motor: DC 30W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/5 PCS
Light Source:LED 15-24W
Color: White+Wood Grain
RPM: Max 260
Certification: CB,CE,RoHS



FSD-2066-GN-WH

Motor: DC 30W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: Green+White
RPM: Max 260
Certification: CB,CE,RoHS



FSD-2066-BU-WH

Motor: DC 30W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/5 PCS
Light Source: LED 15-24W
Color: Blue+White
RPM: Max 260
Certification: CB,CE,RoHS



FSD-2066-PK-WH

Motor: DC 30W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/5 PCS
Light Source: LED 15-24W
Color: Pink+White
RPM: Max 260
Certification: CB,CE,RoHS



FSD-1083-WH

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: White
RPM: Max 280
Certification: CB,CE,RoHS



FSD-1083-SN-GY

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source:LED 15-24W
Color: Sand Nickel+Grey
RPM: Max 280
Certification: CB,CE,RoHS



FSD-1083-PK-WH

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: Pink+White
RPM: Max 280
Certification: CB,CE,RoHS



FSD-1083-BK-MC

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: Black+Multi-Color
RPM: Max 280
Certification: CB,CE,RoHS



FSD-1083-BU-WH

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source:LED 15-24W
Color: Blue+White
RPM: Max 280
Certification: CB,CE,RoHS



FSD-1083-WH-MC

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: White+Multi-Color
RPM: Max 280
Certification: CB,CE,RoHS



FSD-1083-GN-MC
Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: Green+Multi-Color
RPM: Max 280
Certification: CB,CE,RoHS



FSD-1083-GN-WH
Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: Green+White
RPM: Max 280
Certification: CB,CE,RoHS



FSD-1083-GN-GY
Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: Green+Grey
RPM: Max 280
Certification: CB,CE,RoHS



FSD-2506-COF

Motor: DC 35W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 34"
Blade: ABS
Light Source:LED 15-24W
Color: Coffee
RPM: Max 260
Certification: CB,CE,RoHS



FSD-2038-BK

Motor: DC 35W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: Black
RPM: Max 270
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



FSD-2123-GN

Motor: DC 35W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED 15-24W
Color: Green
RPM: Max 270
Certification: CB,CE,RoHS



FSD-55153-BK-PB
Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Composite Board//5 PCS
Light Source: E27
Color: Coffee
RPM: Max 200
Australia



FSD-60153-BK
Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Composite Board//5 PCS
Light Source: LED 15-24W
Color: Coffee
RPM: Max 185
Austr





FSD-2400-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/ 4 PCS
Light Source: E27*5
Color: Black
RPM: Max 240
Certification: CB,CE,RoHS,ErP
Australia



FSD-2835-SG-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED/36W
Color: S Gold+Black
RPM: Max 240
Certification: CB
Australia



FSD-2401-WW

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: E27*5
Color: Weather Wood
RPM: Max 240
Certification: CB,CE,RoHS,ErP
Australia



FSD-2873-SG

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: S Gold
RPM: Max 240
Certification: CE,RoHS



FSD-2874-SG-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: S Gold+Black
RPM: Max 240
Certification: CE,RoHS



FSD-2878-COF

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Coffee
RPM: Max 240
Australia Certification: SGS/210096



FSD-2863-SG

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: S Gold
RPM: Max 240



FSD-2191-AB

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Antique Bronze
RPM: Max 240



FSD-2767-CH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/46W
Color: Chrome
RPM: Max 240
Certification: CB,CE,RoHS



FSD-2171-CH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Chrome
RPM: Max 240
Certification: CE,RoHS



FSD-2171-SG

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: S Gold
RPM: 235
Certification: CE,RoHS



FSD-2188-CH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Chrome
RPM: Max 240



FSD-1639-CH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Chrome
RPM: Max 240



FSD-1639-SG

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: S Gold
RPM: Max 240



FSD-2563-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Black
RPM: Max 240



FSD-2562-GD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Gold
RPM: Max 240



FSD-2921-SG

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: S Gold
RPM: Max 240
Certification: CE



FSD-2555-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240



FSD-2551-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240



FSD-2561-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240



BL-2920-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240



FSD-2564-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240



FSD-2410-COF

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Coffee
RPM: Max 240
Certification: CB,CE,RoHS,ErP



FSD-2410-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240
Certification: CB,CE,RoHS,ErP



FSD-2410-SN

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Sand Nickel
RPM: Max 240
Certification: CB,CE,RoHS,ErP



FSD-2410-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Black
RPM: Max 240
Certification: CB,CE,RoHS,ErP



FSD-2650-COF

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36WW
Color: Coffee
RPM: Max 240
Certification: CB,CE,RoHS



FSD-1777-SG

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36WW
Color: S Gold
RPM: Max 240



FSD-2661-GD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36WW
Color: Gold
RPM: Max 240
Certification: CE,RoHS



FSD-1777-SN-SV

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36WW
Color: Sand Nickel+Silver
RPM: Max 240



FSD-2914-GD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Gold
RPM: Max 240



FSD-1851-SG

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: S Gold
RPM: Max 240



FSD-2553-WH-COF

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White+Coffee
RPM: Max 240



FSD-1566-SG

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/74W
Color: S Gold
RPM: Max 240
Certification: CB,CE,RoHS



FSD-2768-SG

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: S Gold
RPM: Max 240
Certification: CB



FSD-2768-SN

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Sand Nickel
Certification: Max 240
RPM: CB



FSD-6094-SG

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: PC/4 PCS
Light Source: LED PCB/32W
Color: S Gold
RPM: Max 295



FSD-6094-AB-SV

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: PC/4 PCS
Light Source: LED PCB/32W
Color: Antique Bronze
RPM: Max 295



FSD-2868-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Black
RPM: Max 240
Certification: CB,CE,RoHS



BL-2717-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Black
RPM: Max 240
Certification: CB



FSD-2717-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240
Certification: CB



FSD-2930-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: LED PCB/36W
Light Source: PC/4 PCS
Color: Black
RPM: Max 240



FSD-2924-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White+Coffee
RPM: Max 240



FSD-2887-COF

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Coffee
RPM: Max 240



FSD-2844-COF

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Coffee
RPM: Max 240



FSD-2924-COF

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Coffee
RPM: Max 240



FSD-1524-BT-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/74W
Color: White
RPM: Max 240
Certification: ETL
*With Bluetooth



FSD-1524-BT-SN-SV

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/74W
Color: Sand Nickel+Silver
RPM: Max 240
Certification: ETL
*With Bluetooth



FSD-1524-BT-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/74W
Color: Black
RPM: Max 240
Certification: ETL
*With Bluetooth



FSD-1524-BT-GD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/74W
Color: S Gold
RPM: Max 240
Certification: ETL
*With Bluetooth



FSD-1524-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/74W
Color: White
RPM: Max 240
Certification: ETL



FSD-1524-SN-SV

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/74W
Color: Sand Nickel+Silver
RPM: Max 240
Certification: ETL



FSD-1524-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/74W
Color: Black
RPM: Max 240
Certification: ETL



FSD-1524-GD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/74W
Color: S Gold
RPM: Max 240
Certification: ETL



FSD-6524-WH

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 295
Certification: CB



FSD-6524-BK

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Black
RPM: Max 295
Certification: CB



FSD-2212-WH-WG

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/76W
Color: White+Wood Grain
RPM: Max 240
Certification: CE,RoHS
Australia Certification: SGS/210096



FSD-2235-WH-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/58W
Color: White+Black
RPM: Max 240
Certification: CE,RoHS
Australia



FSD-2132-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240



FSD-2919-WH-COF

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White+Coffee
RPM: Max 240



FSD-2114-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240
Certification: CB,CE,RoHS



FSD-2896-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240



FSD-2540-XD-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240
Certification: CE
Australia



FSD-2540-WH-SV

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White+Siver
RPM: Max 240
Certification: CE,RoHS
Australia



FSD-2935-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240



FSD-2849-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240



FSD-2849-WH-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White+Black
RPM: Max 240



FSD-2556-WH-GD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White+Gold
RPM: Max 240



FSD-2566-WH-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White+Black
RPM: Max 240

Bedroom Ceiling Fan



FANTASY | CEILING FAN | LOW PROFILE

FSD-B2002



FSD-B2001



FSD-B2003



FSD-B2004



FSD-B2005



FSD-B2006



FANTASY | CEILING FAN | LOW PROFILE

FSD-B2030



FSD-B1844



FSD-B2040R



FSD-B2041R



Bedroom Ceiling Fan





Bedroom Ceiling Fan

FANTASY | CEILING FAN | LOW PROFILE

- FSD-B2021R

DC LED 20


- FSD-B2021

DC LED 20


- FSD-B2022

DC LED 20


- FSD-B2022R

DC LED 20


- FSD-B2023R

DC LED 20


- FSD-B2023

DC LED 20





Bedroom Ceiling Fan

FANTASY | CEILING FAN | LOW PROFILE

- FSD-B2064

DC LED 20


- FSD-B1866

DC LED 18


- FSD-B2008

DC LED 20


- FSD-B1867

DC LED 18


- FSD-B2007

DC LED 20


- FSD-B1865

DC LED 18





Bedroom Ceiling Fan

FANTASY | CEILING FAN | LOW PROFILE



FSD-B1842R
DC 40W LED 18 inch



FSD-B1843R
DC 40W LED 18 inch



FSD-B1845R
DC 40W LED 18 inch



FSD-B2020R
DC 40W LED 20 inch



FSD-B2020
DC 40W LED 20 inch



FSD-B2024
DC 40W LED 20 inch



Bedroom Ceiling Fan

FANTASY | CEILING FAN | LOW PROFILE



FSD-B2046
DC 40W LED 20 inch



FSD-B2047
DC 40W LED 20 inch



FSD-B2048
DC 40W LED 20 inch



FSD-B1949
DC 40W LED 19 inch



FSD-B1950
DC 40W LED 19 inch



FSD-B1951
DC 40W LED 19 inch



FANTASY | CEILING FAN | LOW PROFILE



FSD-B1952
DC LED 19 min



FSD-B2353
DC LED 23 min



FSD-B1954
DC LED 19 min



FSD-B1955
DC LED 19 min



FSD-B2056
DC LED 20 min



FSD-B1957
DC LED 19 min



FANTASY | CEILING FAN | LOW PROFILE



FSD-B1958
DC LED 19 min



FSD-B2059
DC LED 20 min



FSD-B2060
DC LED 20 min



FSD-B1961
DC LED 19 min



FSD-B1962
DC LED 19 min



FSD-B2063
DC LED 20 min



Caged Ceiling Fan

FANTASY | CEILING FAN | CAGED



FSD-C1810
DC 15W E27 18mm



FSD-C1811
DC 15W E27 18mm



FSD-C1812
DC 15W E27 18mm

FSD-C2002
DC 15W LED 20mm



FSD-C1401
DC 15W E27 14mm



FSD-C1508
DC 15W E27 15mm



FSD-C1809
DC 15W E27 18mm

FANTASY | CEILING FAN | CAGED

FSD-C2003H
DC 15W E27 20mm



FSD-C2004H
DC 15W E27 20mm

FSD-C2006H
DC 15W E27 20mm



FSD-C1807H
DC 15W E27 18mm